

## **Anaphylaxis Emergency Action Plan**

Patient Name:			
Allergies:			
Asthma Yes (high risk for sever	re reaction)	□ No	
Additional health problems besides	anaphylaxi	s:	
Concurrent medications:			
Symptoms of Anaphylaxis  MOUTH itching, swelling of lips and/or tong			
THROAT*	itching, tightness/closure, hoarseness		
SKIN	itching, hives, redness, swelling		
GUT LUNG*	GUT vomiting, diarrhea, cramps LUNG* shortness of breath, cough, wheeze		
HEART*	weak pulse, dizziness, passing out		
		sent. Severity of symptoms of an be life-threatening. ACT F	
Emergency Action Steps - D 1. Inject epinephrine in thigh using (c	O NOT HES theck one):	ITATE TO GIVE EPINEPHRIN  Adrenaclick (0.15 mg)	E! Adrenaclick (0.3 mg)
		☐ Auvi-Q (0.15 mg)	☐ Auvi-Q (0.3 mg)
		EpiPen Jr (0.15 mg)	EpiPen (0.3 mg)
		Epinephrine Injection, USF ☐ (0.15 mg)	Auto-injector- authorized generi
		☐Other (0.15 mg)	Other (0.3 mg)
Specify others:			
IMPORTANT: ASTHMA INHALERS	AND/OR AN	TIHISTAMINES CAN'T BE DE	PENDED ON IN ANAPHYLAXIS.
2. Call 911 or rescue squad (before	calling cont	act)	
3. Emergency contact #1: home		work	cell
Emergency contact #2: home		work	cell
Emergency contact #3: home		work	cell
Comments:			
Doctor's Signature/Date/Phone Numb	oer		
Parent's Signature /Date			