Asthma Treatment Plan – Student

(This asthma action plan meets NJ Law N.J.S.A. 18A:40-12.8) **(Physician's Orders)**

PACNJ Pediatric/Adult Asthma Coalition

Sponsored by American Lung Association. in New Jersey

NJ Health New Jersey Department of Health

(Please Print)

Name	Date of Birth	Effective Date
Doctor Phone	Parent/Guardian (if applicable) Phone	Emergency Contact Phone

HEALTHY (Green Zone)

You have *all* of these:
- Breathing is good
- No cough or wheeze
- Sleep through the night
- Can work, exercise, and play

And/or Peak flow above _____

Take daily control medicine(s). Some inhalers may be more effective with a "spacer" – use if directed.

MEDICINE	HOW MUCH to take and HOW OFTEN to take it
☐ Advair® HFA ☐ 45, ☐ 115, ☐ 230	2 puffs twice a day
☐ Aerospan™	☐ 1, ☐ 2 puffs twice a day
☐ Alvesco® ☐ 80, ☐ 160	☐ 1, ☐ 2 puffs twice a day
☐ Dulera® ☐ 100, ☐ 200	2 puffs twice a day
☐ Flovent® ☐ 44, ☐ 110, ☐ 220	2 puffs twice a day
☐ Qvar® ☐ 40, ☐ 80	☐ 1, ☐ 2 puffs twice a day
☐ Symbicort® ☐ 80, ☐ 160	☐ 1, ☐ 2 puffs twice a day
☐ Advair Diskus® ☐ 100, ☐ 250, ☐ 500	1 inhalation twice a day
☐ Asmanex® Twisthaler® ☐ 110, ☐ 220	☐ 1, ☐ 2 inhalations ☐ once or ☐ twice a day
☐ Flovent® Diskus® ☐ 50 ☐ 100 ☐ 250	1 inhalation twice a day
☐ Pulmicort Flexhaler® ☐ 90, ☐ 180	☐ 1, ☐ 2 inhalations ☐ once or ☐ twice a day
☐ Pulmicort Respules® (Budesonide) ☐ 0.25, ☐ 0.5, ☐ 1.0	1 unit nebulized ☐ once or ☐ twice a day
☐ Singulair® (Montelukast) ☐ 4, ☐ 5, ☐ 10 mg	1 tablet daily
☐ Other	
☐ None	

Remember to rinse your mouth after taking inhaled medicine.

If exercise triggers your asthma, take_____ ____ puff(s) ____minutes before exercise.

CAUTION (Yellow Zone)

You have *any* of these:
- Cough
- Mild wheeze
- Tight chest
- Coughing at night
- Other:_____

If quick-relief medicine does not help within 15-20 minutes or has been used more than 2 times and symptoms persist, call your doctor or go to the emergency room.

And/or Peak flow from_____ to_____

Continue daily control medicine(s) and ADD quick-relief medicine(s).

MEDICINE	HOW MUCH to take and HOW OFTEN to take it
☐ Albuterol MDI (Pro-air® or Proventil® or Ventolin®)	2 puffs every 4 hours as needed
☐ Xopenex®	2 puffs every 4 hours as needed
☐ Albuterol ☐ 1.25, ☐ 2.5 mg	1 unit nebulized every 4 hours as needed
☐ Duoneb®	1 unit nebulized every 4 hours as needed
☐ Xopenex® (Levalbuterol) ☐ 0.31, ☐ 0.63, ☐ 1.25 mg	1 unit nebulized every 4 hours as needed
☐ Combivent Respimat®	1 inhalation 4 times a day
☐ Increase the dose of, or add:	
☐ Other	

- **If quick-relief medicine is needed more than 2 times a week, except before exercise, then call your doctor.**

EMERGENCY (Red Zone)

Your asthma is getting worse fast:
- Quick-relief medicine did not help within 15-20 minutes
- Breathing is hard or fast
- Nose opens wide • Ribs show
- Trouble walking and talking
- Lips blue • Fingernails blue
- Other:_____

And/or Peak flow below _____

Take these medicines NOW and CALL 911.
Asthma can be a life-threatening illness. Do not wait!

MEDICINE	HOW MUCH to take and HOW OFTEN to take it
☐ Albuterol MDI (Pro-air® or Proventil® or Ventolin®)	4 puffs every 20 minutes
☐ Xopenex®	4 puffs every 20 minutes
☐ Albuterol ☐ 1.25, ☐ 2.5 mg	1 unit nebulized every 20 minutes
☐ Duoneb®	1 unit nebulized every 20 minutes
☐ Xopenex® (Levalbuterol) ☐ 0.31, ☐ 0.63, ☐ 1.25 mg	1 unit nebulized every 20 minutes
☐ Combivent Respimat®	1 inhalation 4 times a day
☐ Other	

Triggers

Check all items that trigger patient's asthma:

- ☐ Colds/flu
- ☐ Exercise
- ☐ Allergens
  - ○ Dust Mites, dust, stuffed animals, carpet
  - ○ Pollen - trees, grass, weeds
  - ○ Mold
  - ○ Pets - animal dander
  - ○ Pests - rodents, cockroaches
- ☐ Odors (Irritants)
  - ○ Cigarette smoke & second hand smoke
  - ○ Perfumes, cleaning products, scented products
  - ○ Smoke from burning wood, inside or outside
- ☐ Weather
  - ○ Sudden temperature change
  - ○ Extreme weather - hot and cold
  - ○ Ozone alert days
- ☐ Foods:
  - ○ _____
  - ○ _____
  - ○ _____
- ☐ Other:
  - ○ _____
  - ○ _____
  - ○ _____

This asthma treatment plan is meant to assist, not replace, the clinical decision-making required to meet individual patient needs.

Disclaimer: The use of this Asthma/PACNJ Asthma Treatment Plan and its content is at your own risk. The content is provided on an "as is" basis. The American Lung Association of the Mid-Atlantic (ALAM-A), the Pediatric/Adult Asthma Coalition of New Jersey and all affiliates disclaim all warranties, express or implied, including but not limited to the implied warranties of merchantability, non-infringement of third parties' rights, and fitness for a particular purpose. ALAM-A makes no representations or warranties about the accuracy, reliability, completeness, currency, or timeliness of the content. ALAM-A makes no warranty, representation or guaranty that the information will be uninterrupted or error free or that any defect can be corrected. In no event shall ALAM-A be liable for any damages (including, without limitation, incidental and consequential damages, personal injuries/wrongful death, lost profits, or damages resulting from lost of business interruption) resulting from the use or inability to use the content of this Asthma Treatment Plan whether based on warranty, contract, tort or any other legal theory, and whether or not ALAM-A is advised of the possibility of such damages. ALAM-A and its affiliates are not liable for any claim, endorsement, caused by your use or misuse of the Asthma Treatment Plan, and of the website.

This Pediatric/Adult Asthma Coalition of New Jersey, sponsored by the American Lung Association in New Jersey. This publication was supported by a grant from the New Jersey Department of Health and Senior Services, with funds provided by the U.S. Centers for Disease Control and Prevention under Cooperative Agreement 5U58DP004964-5. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the New Jersey Department of Health and Senior Services or the U.S. Centers for Disease Control and Prevention. Although this Statement has been funded wholly or in part by the United States Environmental Protection Agency under Agreement NA82B0001-2 to the American Lung Association in New Jersey, it has not gone through the Agency's public review process and therefore, may not necessarily reflect the views of the Agency and no official endorsement should be inferred. Information in this publication is not intended to diagnose health problems or take the place of medical advice for patients or any medical condition. Always seek advice from your child's or your health care professional.

REVISED MAY 2017

Permission to reproduce blank form • www.pacnj.org

Permission to Self-administer Medication:

- ☐ This student is capable and has been instructed in the proper method of self-administering of the non-nebulized inhaled medications named above in accordance with NJ Law.
- ☐ This student is not approved to self-medicate.

PHYSICIAN/APN/PA SIGNATURE_____ DATE_____

Physician's Orders

PARENT/GUARDIAN SIGNATURE_____

PHYSICIAN STAMP

Make a copy for parent and for physician file, send original to school nurse or child care provider.